

# **Safety Data Sheet**

according to UK REACH Regulation

#### PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

UFI: MH31-N07N-A00D-RC4R

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cleaner

## 1.3. Details of the supplier of the safety data sheet

Company name: MOTO-PROFIL Sp. z o.o Street: ul. Niedzwiedziniec 10 Place: PL-41-506 Chorzów

Telephone: +48 32 604 10 00 Telefax: +48 32 604 10 01

E-mail: sekretariat@moto-profil.pl

1.4. Emergency telephone 111 NHS (National Health Service)

number:

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## **GB CLP Regulation**

Signal word: Danger

Pictograms:



# **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

## **Precautionary statements**

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container according to the official regulations.

# 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.



# **Safety Data Sheet**

according to UK REACH Regulation

## PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 2 of 11

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

| CAS No   | Chemical name                         |              |                  |  |  |  |
|----------|---------------------------------------|--------------|------------------|--|--|--|
|          | EC No                                 | Index No     | REACH No         |  |  |  |
|          | Classification (GB CLP Regu           | lation)      | <u>.</u>         |  |  |  |
| 115-10-6 | dimethyl ether                        |              |                  |  |  |  |
|          | 204-065-8                             | 603-019-00-8 |                  |  |  |  |
|          | Flam. Gas 1, Liquefied gas; F         | 1220 H280    | •                |  |  |  |
| 75-28-5  | isobutane                             | 10 - < 20 %  |                  |  |  |  |
|          | 200-857-2                             | 601-004-00-0 | 01-2119485395-27 |  |  |  |
|          | Flam. Gas 1, Liquefied gas; F         |              |                  |  |  |  |
| 74-98-6  | propane                               | 1 - < 3 %    |                  |  |  |  |
|          | 200-827-9                             | 601-003-00-5 | 01-2119486944-21 |  |  |  |
|          | Flam. Gas 1, Liquefied gas; H220 H280 |              |                  |  |  |  |
| 106-97-8 | butane                                |              |                  |  |  |  |
|          | 203-448-7                             | 601-004-00-0 | 01-2119474691-32 |  |  |  |
|          | Flam. Gas 1, Liquefied gas; H220 H280 |              |                  |  |  |  |

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

| CAS No   | EC No Chemical name                      |        | Quantity    |
|----------|--|--------|-------------|
|          | Specific Conc. Limits, M-factors and ATE |        |             |
| 106-97-8 | 203-448-7                                | butane | 0.1 - < 1 % |
|          | inhalation: LC50 = 658 ppm (gases)       |        |             |

## Labelling for contents according to Regulation (EC) No 648/2004

15 % - < 30 % aliphatic hydrocarbons, preservation agents (Phenoxyethanol).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

# After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

# After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

## 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation



## **Safety Data Sheet**

according to UK REACH Regulation

## PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 3 of 11

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically, Call a POISON CENTER, Symptoms can occur only after several hours.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

# Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Danger of bursting container.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

# For non-emergency personnel

First aider: Pay attention to self-protection!

#### For emergency responders

Fight fire with normal precautions from a reasonable distance.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

## 6.3. Methods and material for containment and cleaning up

## For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Advice on safe handling

Observe instructions for use.



## **Safety Data Sheet**

according to UK REACH Regulation

## PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 4 of 11

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

#### Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

#### Further information on handling

Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

#### Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

## Further information on storage conditions

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

#### 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# **Exposure limits (EH40)**

| CAS No   | Substance      | ppm | mg/m³ | fibres/ml | Category      | Origin |
|----------|----------------|-----|-------|-----------|---------------|--------|
| 106-97-8 | Butane         | 600 | 1450  |           | TWA (8 h)     | WEL    |
|          |                | 750 | 1810  |           | STEL (15 min) | WEL    |
| 115-10-6 | Dimethyl ether | 400 | 766   |           | TWA (8 h)     | WEL    |
|          |                | 500 | 958   |           | STEL (15 min) | WEL    |

## Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B)

Urine (U)

## 8.2. Exposure controls

## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

# Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

EN 166



## Safety Data Sheet

according to UK REACH Regulation

#### PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 5 of 11

## Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm

**EN ISO 374** 

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

## Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: AX

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

## **Environmental exposure controls**

Observe legal regulations and provisions.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Aerosol Colour: grey Odour: orange

Test method

Print date: 17.07.2023

Melting point/freezing point:

Boiling point or initial boiling point and

-42 °C

boiling range:

Flammability: not applicable not applicable

Lower explosion limits: 2,7 vol. %
Upper explosion limits: 32 vol. %
Flash point: -80 °C
Auto-ignition temperature: 240 °C
Decomposition temperature: not determined

pH-Value (at 20 °C): 6 DIN 19268

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 1,04 g/cm³ DIN 51757

Relative vapour density: not determined

## 9.2. Other information

## Information with regard to physical hazard classes

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties Not oxidising.



## Safety Data Sheet

according to UK REACH Regulation

## PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 6 of 11

## Other safety characteristics

Evaporation rate: not determined Solid content: not determined

#### **Further Information**

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

## 10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

## 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### **Further information**

Do not mix with other chemicals.

# SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in GB CLP Regulation

# Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

## **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No   | Chemical name        |      |         |         |        |        |
|----------|----------------------|------|---------|---------|--------|--------|
|          | Exposure route       | Dose |         | Species | Source | Method |
| 106-97-8 | butane               |      |         |         |        |        |
|          | inhalation (4 h) gas | LC50 | 658 ppm | Rat     | GESTIS |        |

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction



# **Safety Data Sheet**

according to UK REACH Regulation

## PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 7 of 11

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No information available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.



# **Safety Data Sheet**

according to UK REACH Regulation

# PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 8 of 11

| CAS No   | Chemical name            |               |        |           |                                |  |  |
|----------|--------------------------|---------------|--------|-----------|--------------------------------|--|--|
|          | Aquatic toxicity         | Dose          |        | [h]   [d] | Species                        | Source   | Method                                   |
| 115-10-6 | dimethyl ether           |               |        |           |                                |  |  |
|          | Acute fish toxicity      | LC50<br>mg/l  | > 4100 | 96 h      | Poecilia reticulata<br>(Guppy) |  |  |
|          | Acute algae toxicity     | ErC50<br>mg/l | > 154  | 96 h      | Green Algae                    |  |  |
|          | Acute crustacea toxicity | EC50<br>mg/l  | > 4400 | 48 h      | Daphnia magna                  |  |  |
| 75-28-5  | isobutane                |               |        |           |                                |  |  |
|          | Acute fish toxicity      | LC50<br>mg/l  | 91,42  | 96 h      | Fish, no other information     | United States<br>Environmental<br>Protection A | The Ecosar class program has been develo |
|          | Acute algae toxicity     | ErC50<br>mg/l | 19,37  | 96 h      | Algae                          | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using ECOSAR Program v1.00.  |
|          | Acute crustacea toxicity | EC50<br>mg/l  | 69,43  | 48 h      | Daphnia sp.                    | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using ECOSAR Program v1.00.  |
| 74-98-6  | propane                  |               |        |           |                                |  |  |
|          | Acute fish toxicity      | LC50<br>mg/l  | 49,9   | 96 h      | Fish, no other information     | United States<br>Environmental<br>Protection A | The Ecosar class program has been develo |
|          | Acute algae toxicity     | ErC50<br>mg/l | 19,37  | 96 h      | Algae                          | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using ECOSAR Program v1.00.  |
|          | Acute crustacea toxicity | EC50<br>mg/l  | 69,43  | 48 h      | Daphnia sp.                    | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using ECOSAR Program v1.00.  |
| 106-97-8 | butane                   |               |        |           |                                | · · · · · · · · · · · · · · · · · · ·          |  |
|          | Acute fish toxicity      | LC50<br>mg/l  | 49,9   | 96 h      | Fish, no other information     | United States<br>Environmental<br>Protection A | The Ecosar class program has been develo |
|          | Acute algae toxicity     | ErC50<br>mg/l | 19,37  | 96 h      | Algae                          | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using ECOSAR Program v1.00.  |
|          | Acute crustacea toxicity | EC50<br>mg/l  | 69,43  | 48 h      | Daphnia sp.                    | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using ECOSAR Program v1.00.  |

# 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

| CAS No   | Chemical name  | Log Pow |
|----------|----------------|---------|
| 115-10-6 | dimethyl ether | 0,1     |
| 75-28-5  | isobutane      | 1,09    |
| 74-98-6  | propane        | 1,09    |
| 106-97-8 | butane         | 1,09    |

## 12.4. Mobility in soil

No information available.



# **Safety Data Sheet**

according to UK REACH Regulation

#### PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 9 of 11

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

# List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

## List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); metallic packaging

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

## Marine transport (IMDG)



# **Safety Data Sheet**

according to UK REACH Regulation

#### PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 10 of 11

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:no

Special Provisions: 63, 190, 277, 327, 344, 381,959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950

**14.2. UN proper shipping name:** AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1

Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user
Warning: Flammable gases.

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 40, Entry 75

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

**Additional information** 

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Aerosol Directive (75/324/)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**



## **Safety Data Sheet**

according to UK REACH Regulation

#### PREPARAT DO CZYSZCZENIA WNĘTRZA SAMOCHODU PP 0,5L - 1903244

Revision date: 17.07.2023 Product code: 1105890 Page 11 of 11

## Changes

This data sheet contains changes from the previous version in section(s): 2,9,15.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

Flam. Gas: Flammable gases

Aerosol: Aerosols

Liquefied gas: Liquefied gas

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

|                      | <u> </u>                 |
|----------------------|--------------------------|
| Classification       | Classification procedure |
| Aerosol 1; H222-H229 | On basis of test data    |

# Relevant H and EUH statements (number and full text)

| H220 | Extremely flammable gas.     |
|------|------------------------------|
| H222 | Extremely flammable aerosol. |

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)